RESILIENT RESISTENT

FIN SERIES MECHANICAL PULVERIZERS SECONDARY DEMOLITION RECYCLING




Mechanical pulverisers OSA FM are extremely fast and strong. They have been designed for pulverizing all the material which derives from the demolition made in the building site and also that material which comes from the demolition of concrete structures, pillars and trellis made on the ground. They are also useful for separating reinforcing rods from concrete.


OSA FM mechanical pulverisers do not need any hydraulic installation because they use the piston pushing force of the excavator penetrating arm.

Fast, strong, powerful and solid they guarantee excellent working results.









				/				
MODEL FM	U.M.	FM 20	FM 25	FM 30	FM 40	FM 55	FM 65	FM 95
OPENING (A)	mm	900	1100	1150	1250	1350	1450	1550
	in.	35	43	45	49	53	57	61
LENGTH (B)	mm	600	690	710	750	810	870	930
	in.	24	27	28	29,5	32	34	37
BLADE (C)	mm	200	200	240	240	240	280	280
	in.	7,9	7,9	9,45	9,45	9,45	11	11
EXCAVATOR	Ton	18/22	22/32	32/42	42/60	50/65	60/80	90/100
WEIGHT	lbs	39683/ 48502	48502/ 70548	70548/ 92594	92594/ 132277	110231/ 143300	132277/ 176370	198416/ 220462
EQUIPMENT	Kg	1000	1400	2000	2500	2800	4000	4900
WEIGHT	lbs	2205	3086	4409	5512	6173	8818	10803

